

Certificate of Analysis

Product Name:	15 Day Colon Cleanse	Lot Number:	64048-1
Manufacture Date:	11/2023	Expiration Date:	11/2025
Form:	Capsule	Size:	"00"
Capsule Color:	Clear	Fill Color:	Off-white to light brown
Average Weight:	802 mg/capsule	Disintegration:	NMT 30 min
Bottle Size:	120 cc	Bottle Color:	White
Lid Size:	38 mm	Lid Color:	White
Shrink:	67 mm Translucent	Count per Unit:	30 Capsules

LABEL CLAIM SPECIFICATIONS

Active Ingredient	Label Claim Per capsule	Specification per capsule (≥90%)	Result	Method*
Cascara Sagrada Bark (10% extract)	150 mg	≥135 mg	Conforms	ID by UV
Psyllium Husk Powder	150 mg	≥135 mg	Conforms	ID by FTIR
Senna Leaf (20% extract)	142.5 mg	≥128.3 mg	Conforms	ID-HPLC
Flaxseed Powder	50 mg	≥45 mg	Conforms	ID by FTIR
Aloe Vera Gel (powder/200:1 concentrate)(leaf)	40 mg	≥36 mg	Conforms	ID by FTIR
<i>Lactobacillus acidophilus</i>	25 mg	≥22.5 mg	Conforms	ID by CMMEF
Licorice Root (10% extract)	25 mg	≥22.5 mg	Conforms	ID-HPLC
Medium Chain Triglycerides Oil	7 mg	≥6.3 mg	Conforms	ID by GC
Other Ingredients: Gelatin (bovine), rice powder, vegetable magnesium stearate, and silicon dioxide.				

*Confirmed by raw material identification, verified by production process controls and QA batch record review and approval.

MICROORGANISM TEST RESULTS

Test	Specification	Method	Result
Total Aerobic Plate Count	<10 ⁷ cfu/g	USP <2021>	PASS
Yeast and Mold	<10 ⁵ cfu/g	USP <2021>	PASS
Enterobacteriaceae	<10 ⁴ cfu/g	USP <2021>	PASS
Escherichia coli	Negative	USP <2022>	PASS
Salmonella spp.	Negative	USP <2022>	PASS
Staphylococcus aureus	Negative	USP <2022>	PASS

HEAVY METALS TEST RESULTS

Test	Specification	Method	Result
Cadmium	<4.1 mcg/daily dose	ICP-MS	PASS
Arsenic	<10 mcg/daily dose	ICP-MS	PASS
Lead	<2.75 mcg/daily dose	ICP-MS	PASS
Mercury	<10 mcg/daily dose	ICP-MS	PASS

Note: Testing is certified under subcontracted laboratory's ISO 17025 accreditation.

Released by:  QA/QC Department	Date: 02/06/2024
---	------------------