



Certificate of Analysis

Supplier Product Name:	Adrenal Support	Lot Number:	63924-1
Manufacture Date:	09/2022	Expiration Date:	09/2024
Form:	Capsule	Size:	"00"
Capsule Color:	Clear	Fill Color:	Brownish
Average Weight:	845 mg/capsule	Disintegration:	NMT 30 min
Bottle Size:	200 cc	Bottle Color:	White
Lid Size:	38 mm	Lid Color:	White
Shrink:	67 mm Translucent	Count per Unit:	60 capsules

LABEL CLAIM SPECIFICATIONS

Active Ingredient	Label Claim Per capsule	Specification per capsule (≥90%)	% Found*	Method
Vitamin C (as ascorbic acid)	30 mg	≥27 mg	100%	HPLC
Vitamin B6 (as pyridoxine HCl)	5 mg	≥4.5 mg	100%	HPLC
Ashwagandha Root (2.5% extract)	200 mg	≥180 mg	100%	HPLC
L-Tyrosine	100 mg	≥90 mg	100%	HPLC
<i>Eleutherococcus senticosus</i> (0.8% extract)	50 mg	≥45 mg	100%	HPLC
<i>Panax ginseng</i> (7% extract)	50 mg	≥45 mg	100%	HPLC
Acerola (10% extract)	60 mg	≥54 mg	100%	HPLC
Astragalus 5:1 Extract	50 mg	≥45 mg	100%	HPTLC
<i>Rhodiola rosea</i> (3% extract)	25 mg	≥22.5 mg	100%	HPLC
Licorice (4:1 extract)	25 mg	≥22.5 mg	100%	HPTLC
Suma (4:1 extract)	25 mg	≥22.5 mg	100%	HPTLC
Holy Basil (2.5% extract)	25 mg	≥22.5 mg	100%	HPLC
BioPerine® (black pepper fruit extract)	5 mg	≥4.5 mg	100%	HPTLC

Other Ingredients: Gelatin (bovine), rice powder, vegetable magnesium stearate and silicon dioxide.

*Verified by Raw Material Testing and Process Manufacturing (SOP 1.9, 1.6)

MICROORGANISM TEST RESULTS

Test	Specification	Method	Result
Total Aerobic Plate Count	<10 ⁷ cfu/g	USP <2021>	PASS
Yeast and Mold	<10 ⁵ cfu/g	USP <2021>	PASS
Enterobacteriaceae	<10 ⁴ cfu/g	USP <2021>	PASS
Escherichia coli	Negative	USP <2022>	PASS
Salmonella spp.	Negative	USP <2022>	PASS
Staphylococcus aureus	Negative	USP <2022>	PASS

HEAVY METALS TEST RESULTS

Test	Specification	Method	Result
Cadmium	<4.1 mcg/daily dose	ICP-MS	PASS
Arsenic	<10 mcg/daily dose	ICP-MS	PASS
Lead	<2.75 mcg/daily dose	ICP-MS	PASS
Mercury	<10 mcg/daily dose	ICP-MS	PASS

Note: Testing is certified under subcontracted laboratory's ISO 17025 accreditation.



Certificate of Analysis

SAMPLE ONLY

Released by:

Brian Kellogg

QA/QC Department

Date: 09/28/2023