



## Certificate of Analysis

|                          |                   |                         |             |
|--------------------------|-------------------|-------------------------|-------------|
| <b>Product Name:</b>     | Weight Loss PM    | <b>Lot Number:</b>      | 63999-1     |
| <b>Manufacture Date:</b> | 12/2022           | <b>Expiration Date:</b> | 12/2024     |
| <b>Form:</b>             | Capsule           | <b>Size:</b>            | #00         |
| <b>Average Weight</b>    | 870 mg/capsule    | <b>Color:</b>           | Tannish     |
| <b>Bottle Size:</b>      | 200 cc            | <b>Bottle Color:</b>    | White       |
| <b>Lid Size:</b>         | 38 mm             | <b>Lid Color:</b>       | White       |
| <b>Shrink:</b>           | 67 mm Translucent | <b>Count per Unit:</b>  | 60 capsules |

### LABEL CLAIM SPECIFICATIONS

| Active Ingredient             | Label Claim<br>Per capsule | Specification<br>per capsule (≥90%) | % Found* |
|-------------------------------|----------------------------|-------------------------------------|----------|
| L-Arginine (L-Arginine base)  | 200 mg                     | ≥180 mg                             | 100%     |
| L-Ornithine HCl               | 150 mg                     | ≥135 mg                             | 100%     |
| L-Glutamine                   | 150 mg                     | ≥135 mg                             | 100%     |
| Colostrum Powder (bovine)     | 100 mg                     | ≥90 mg                              | 100%     |
| L-Lysine HCl                  | 50 mg                      | ≥45 mg                              | 100%     |
| Ornithine Alpha-Ketoglutarate | 50 mg                      | ≥45 mg                              | 100%     |
| L-Glycine                     | 50 mg                      | ≥45 mg                              | 100%     |

**Other Ingredients:** Gelatin (bovine), rice flour, vegetable magnesium stearate and silicon dioxide.

\*Based on Input

### MICROORGANISM TEST RESULTS

| Test                             | Specification          | Method     | Result |
|----------------------------------|------------------------|------------|--------|
| <b>Total Aerobic Plate Count</b> | <10 <sup>7</sup> cfu/g | USP <2021> | PASS   |
| <b>Yeast and Mold</b>            | <10 <sup>5</sup> cfu/g | USP <2021> | PASS   |
| <b>Enterobacteriaceae</b>        | <10 <sup>4</sup> cfu/g | USP <2021> | PASS   |
| <b>Escherichia coli</b>          | Negative               | USP <2022> | PASS   |
| <b>Salmonella spp.</b>           | Negative               | USP <2022> | PASS   |
| <b>Staphylococcus aureus</b>     | Negative               | USP <2022> | PASS   |

### HEAVY METALS TEST RESULTS

| Test           | Specification        | Method | Result |
|----------------|----------------------|--------|--------|
| <b>Cadmium</b> | <4.1 mcg/daily dose  | ICP-MS | PASS   |
| <b>Arsenic</b> | <10 mcg/daily dose   | ICP-MS | PASS   |
| <b>Lead</b>    | <2.75 mcg/daily dose | ICP-MS | PASS   |
| <b>Mercury</b> | <10 mcg/daily dose   | ICP-MS | PASS   |

Note: Testing is certified under subcontracted laboratory's ISO 17025 accreditation.

|                                                                                                                                          |                         |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| <b>Released by:</b><br><br>Quality Control Department | <b>Date:</b> 03/30/2023 |
|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|